

| L Number | Hits   | Search Text  | DB                             | Time stamp       |
|----------|--------|--|--------------------------------|------------------|
| -        | 752207 | ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 14:27 |
| -        | 1180   | ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) with ((appropriate or correct or right)adj (value or amount))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:29 |
| -        | 1      | ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) with ((appropriate or correct or right)adj (value or amount))) same (VID or (voltage adj identifier))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:28 |
| -        | 541    | ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) and (VID or (voltage adj identifier))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:28 |
| -        | 3      | ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) with ((appropriate or correct or right)adj (value or amount))) and (VID or (voltage adj identifier))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:28 |
| -        | 2812   | ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) same ((appropriate or correct or right)adj (value or amount))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:29 |
| -        | 25     | ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) and (VID or (voltage adj identifier))) and ((appropriate or correct or right)adj (value or amount))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:30 |
| -        | 283    | ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) and (VID or (voltage adj identifier))) and (serial or "1394" or USB)  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:30 |
| -        | 16     | ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) and (VID or (voltage adj identifier))) and ((appropriate or correct or right)adj (value or amount))) and (serial or "1394" or USB)  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:34 |
| -        | 221    | (detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identification or identifier))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:36 |
| -        | 0      | ((detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identification or identifier))) and ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 ((power or voltage))same (based adj (id or identification or identifier))) | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:39 |
| -        | 10     | ((detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identification or identifier))) and ((based adj (id or identification or identifier)))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:40 |

|   |        |   |                                |                  |
|---|--------|---|--------------------------------|------------------|
| - | 3      | ((detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identifier))) and ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 ((power or voltage)))) and ((detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identifier))) and ((based adj (id or identification or identifier))))       | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/05/20 15:40 |
| - | 172412 | (processor or micro\$controller or controller or cpu) with ((voltage or supply or power)near3 control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 10:39 |
| - | 77411  | (processor or micro\$controller or controller or cpu) with ((voltage or supply or power)near3 (control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 10:39 |
| - | 14194  | ((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 10:41 |
| - | 603    | ((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)) same ((information or data or identification or identifier or id)near5 (receiv\$4 or accessed or collected or got))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 10:44 |
| - | 249    | ((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)) same ((information or data or identification or identifier or id)near5 (receiv\$4 or accessed or collected or got))) and (serial or i2c or "1394" or usb)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 10:46 |
| - | 203    | ((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)) same ((information or data or identification or identifier or id)near5 (receiv\$4 or accessed or collected or got))) and ((device or controller or processor or micro\$controller)adj2 (data or informatoion or id or identifi\$6))                                       | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 10:47 |
| - | 98     | ((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)) same ((information or data or identification or identifier or id)near5 (receiv\$4 or accessed or collected or got))) and (serial or i2c or "1394" or usb)) and ((device or controller or processor or micro\$controller)adj2 (data or informatoion or id or identifi\$6)) | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 13:42 |

|   |       |  |                          |                  |
|---|-------|--|--------------------------|------------------|
| - | 2     | (((((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)) same ((information or data or identification or identifier or id)near5 (receiv\$4 or accessed or collected or got))) and (serial or i2c or "1394" or usb)) and ((device or controller or processor or micro\$controller)adj2 (data or informatoion or id or identifi\$6)) | EPO; JPO; DERWENT        | 2004/06/01 13:44 |
| - | 0     | 730/\$.ccls.   | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 13:45 |
| - | 19251 | 713/\$.ccls.   | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 13:46 |
| - | 3990  | 713/\$.ccls. and ((voltage or power or supply)near3 (control\$4 or regulat\$4))  | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 13:48 |
| - | 1767  | (713/\$.ccls. and ((voltage or power or supply)near3 (control\$4 or regulat\$4)) ) and (id or identifi\$6)   | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 13:49 |
| - | 1139  | ((713/\$.ccls. and ((voltage or power or supply)near3 (control\$4 or regulat\$4)) ) and (id or identifi\$6) ) and (clock)  | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 13:49 |
| - | 1     | ((713/\$.ccls. and ((voltage or power or supply)near3 (control\$4 or regulat\$4)) ) and (id or identifi\$6) ) and (verif\$6 same ((clock) with (tim\$4 adj reference)))  | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 13:50 |
| - | 53    | ((713/\$.ccls. and ((voltage or power or supply)near3 (control\$4 or regulat\$4)) ) and (id or identifi\$6) ) and ((clock) with (tim\$4 adj reference))  | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 14:17 |
| - | 19049 | (communicati\$4 near4 (micri\$controller or device or cpu or processor or micro\$processor))with (controller or regulator or adjust\$4 or manag\$4)  | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 14:20 |
| - | 156   | ((communicati\$4 near4 (micri\$controller or device or cpu or processor or micro\$processor))with (controller or regulator or adjust\$4 or manag\$4)) and(((processor or chip or microprocessor or controller)adj(identification or id or identifier))) and ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 ((power or voltage)))   | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 14:22 |
| - | 12    | ((communicati\$4 near4 (micri\$controller or device or cpu or processor or micro\$processor))with (controller or regulator or adjust\$4 or manag\$4)) and(((processor or chip or microprocessor or controller)adj(identification or id or identifier))) and ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 ((power or voltage))) and (acknowledg\$4 adj6 (speed or rate or frequency))                       | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 14:25 |
| - | 179   | ((provid\$4 or provi\$6 or supply\$4 or control\$4 or alter\$6 or chang\$4 or vary\$4)near4 (voltage or power or supply))with (voltage adj (identifi\$6 or id))  | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 14:28 |
| - | 33    | ((provid\$4 or provi\$6 or supply\$4 or control\$4 or alter\$6 or chang\$4 or vary\$4)near4 (voltage or power or supply))with (voltage adj (identifi\$6 or id))) same ((voltage or supply or power)adj2 (regulator or controller))   | USPAT; US-PGPUB; IBM_TDB | 2004/06/01 14:29 |

|   |       |   |                                |                  |
|---|-------|---|--------------------------------|------------------|
| - | 2     | ((provid\$4 or provi\$6 or supply\$4 or control\$4 or alter\$6 or chang\$4 or vary\$4)near4 (voltage or power or supply))with (voltage adj (identifi\$6 or id)) same (serial or "1394" or usb or i2c)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 14:39 |
| - | 15844 | (serial or "1394" or usb or i2c)near3 communication   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 14:39 |
| - | 4     | ((serial or "1394" or usb or i2c)near3 communication) same ((micro\$controller or micro\$processor or cpu or processor)with ((volage or supply or power) adj (regulator or controller or varator)))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 14:33 |
| - | 668   | greiner.inv.  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 14:39 |
| - | 1     | greiner.inv. and ((serial or "1394" or usb or i2c)near3 communication)  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 14:39 |
| - | 70    | greiner.inv. and (communication)  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 14:49 |
| - | 116   | greiner.inv. and (identifi\$7 or id or vid)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 14:40 |
| - | 34    | (greiner.inv. and (identifi\$7 or id or vid)) and (communication)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 14:41 |
| - | 1     | greiner.inv. and (serial adj communication)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 14:59 |
| - | 14935 | ((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 14:58 |
| - | 349   | ((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:00 |
| - | 184   | (((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)) and (frame or guard)                          | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:01 |
| - | 168   | (((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)) and (clock with tim\$4)                       | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:01 |
| - | 108   | (((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)) and (frame or guard)) and (clock with tim\$4) | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:02 |

|   |        |  |                                |                  |
|---|--------|--|--------------------------------|------------------|
| - | 75     | (((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)) and (frame or guard)) and (clock with tim\$4)) and ((veryf\$7 or check\$4 or analyz\$4 or measur\$4)near5 tim\$4)                        | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:03 |
| - | 5      | (((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)) and (frame or guard)) and (clock with tim\$4)) and ((veryf\$7 or check\$4 or analyz\$4 or measur\$4)near5 tim\$4)) and (bit adj pattern) | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:03 |
| - | 92     | ((detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identifier))) and ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 ((power or voltage)))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:24 |
| - | 4514   | ((device or apparatus or processor)adj3 communication)with controller  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:25 |
| - | 2926   | ((device or apparatus or processor)adj3 communication)with controller) and ((guard or frame or request or drq))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:27 |
| - | 130    | ((device or apparatus or processor)adj3 communication)with controller) same ((guard or frame))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:30 |
| - | 3      | ((device or apparatus or processor)adj3 communication)with controller) same ((guard))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:27 |
| - | 0      | ((device or apparatus or processor)adj3 communication)with controller) and ((guard or frame or request or drq))) and (clock with (timming adj refernce))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:30 |
| - | 0      | ((device or apparatus or processor)adj3 communication)with controller) same ((guard or frame))) and (clock with (timming adj refernce))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:31 |
| - | 0      | ((device or apparatus or processor)adj3 communication)with controller) same ((guard or frame))) and (clock same (timming adj refernce))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:31 |
| - | 0      | ((device or apparatus or processor)adj3 communication)with controller) same ((guard or frame))) and (clock same (timming ))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:31 |
| - | 0      | ((device or apparatus or processor)adj3 communication)with controller) and ((guard or frame or request or drq))) and (clock same (timming ))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:50 |
| - | 111236 | ((id or identifi\$7 or void)near4 (access\$4 or receiv\$4 or find\$4 or detect\$4))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:01 |
| - | 108767 | ((id or identifi\$7 or vid)near4 (access\$4 or receiv\$4 or find\$4 or detect\$4))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:52 |
| - | 0      | ((id or identifi\$7 or void)near4 (access\$4 or receiv\$4 or find\$4 or detect\$4))) with (serail adj communication)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 15:52 |

|   |       |  |                                |                  |
|---|-------|--|--------------------------------|------------------|
| - | 47    | ((id or identi\$7 or void)near4 (access\$4 or receiv\$4 or find\$4 or detect\$4))) with (serial adj communication)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:00 |
| - | 87098 | (device or apparatus)near3 communication   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:01 |
| - | 6748  | ((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)near4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4)))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:02 |
| - | 3958  | ((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4)))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:03 |
| - | 377   | ((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4))) same (controller or regulator)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:03 |
| - | 0     | ((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4))) same (controller or regulator) and ((guard adj (line or signal)))                        | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:05 |
| - | 348   | ((guard adj (line or signal)))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:06 |
| - | 5     | ((guard or frame) adj (line or signal))same (analy\$7 with clock)  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:07 |
| - | 5     | ((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4))) same (controller or regulator) and ((clock adj (line or signal))with (tim\$4))           | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:09 |
| - | 20    | ((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4))) same (controller or regulator) and ((data adj (line or signal))with (id or information)) | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:11 |
| - | 58    | ((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4))) same (controller or regulator) and (data adj (line or signal))                           | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/01 16:12 |
| - | 773   | (creat\$4 adj3 image)with application  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:27 |
| - | 110   | ((creat\$4 adj3 image)with application) same ((sav\$4 or stor\$4 or back\$5)near6 image)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:28 |
| - | 4     | ((creat\$4 adj3 image)with application) same ((sav\$4 or stor\$4 or back\$5)near6 partition)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:30 |
| - | 1     | ((creat\$4 adj3 image)with application) same ((sav\$4 or stor\$4 or back\$5)near6 image)) same ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:32 |

|   |      |  |                                |                  |
|---|------|--|--------------------------------|------------------|
| - | 6    | ((creat\$4 adj3 image)with application) same ((sav\$4 or stor\$4 or back\$5)near6 image)) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))               | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:34 |
| - | 25   | ((creat\$4 adj3 image)with application) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:52 |
| - | 773  | ((creat\$4 adj3 image)with application) and ((application or software))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:34 |
| - | 25   | ((creat\$4 adj3 image)with application) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))) and ((application or software))                                | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:45 |
| - | 3    | ((creat\$4 adj3 image)with application) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))) and ((appli\$6 adj server))                                    | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:46 |
| - | 26   | ((creat\$4 adj3 image)with application) and ((appli\$6 adj server))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:50 |
| - | 3    | ((creat\$4 adj3 image)with application) and ((appliance adj server))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:46 |
| - | 222  | automatic\$4 adj3 (re\$provisioning or re\$configuring)  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:58 |
| - | 4    | (automatic\$4 adj3 (re\$provisioning or re\$configuring)) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 11:00 |
| - | 18   | (automatic\$4 adj3 (re\$provisioning or re\$configuring)) and (dynamic\$4 adj (load\$4 or access\$4 or stor\$4))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:55 |
| - | 5    | (automatic\$4 adj3 (re\$provisioning or re\$configuring)) and ((dynamic\$4 adj (load\$4 or access\$4 or stor\$4))with (application or software))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 10:57 |
| - | 127  | (automatic\$4 adj3 (re\$provision\$3 or re\$configur\$4 or upgrad\$4))with application   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 11:00 |
| - | 0    | ((automatic\$4 adj3 (re\$provision\$3 or re\$configur\$4 or upgrad\$4))with application) same partion\$3   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 11:00 |
| - | 3    | ((automatic\$4 adj3 (re\$provision\$3 or re\$configur\$4 or upgrad\$4))with application) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))                | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 11:00 |
| - | 5128 | ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 11:00 |
| - | 6    | ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))) and ((automatic\$4 adj3 (re\$provision\$3 or re\$configur\$4 or upgrad\$4))with (software or application)) | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 11:01 |
| - | 6    | ((serial or "1394" or usb)adj5 interface)with (vid or (voltage adj identifier))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 15:03 |
| - | 6    | ((serial or "1394" or usb or rs232)adj5 interface)with (vid or (voltage adj identifier))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 15:50 |

|   |       |   |                                |                  |
|---|-------|---|--------------------------------|------------------|
| - | 7     | ((serial or "1394" or usb or rs232)near6 interface) with (vid or (voltage adj identifier))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 15:49 |
| - | 0     | ((serial or "1394" or usb or rs232)near6 interface) with ((five or four)adj (line or signal or I/O))) and (vid or (voltage adj identifier))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:16 |
| - | 32    | ((serial or "1394" or usb or rs232)near6 interface) with ((five or four)adj (line or signal or I/O))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:12 |
| - | 5     | ((serial or "1394" or usb or rs232)near6 interface) with ((five or four)adj (line or signal or I/O))) and (voltage adj regulat\$4 or control\$4))   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:11 |
| - | 1590  | ((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)   | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:14 |
| - | 64    | ((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and ((five or four)adj (line or signal or I/O))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:18 |
| - | 51    | ((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and ((five or four)adj (line or signal or I/O))) and (clock or cs)                     | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:13 |
| - | 45    | ((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and ((five or four)adj (line or signal or I/O))) and (clock )                          | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:13 |
| - | 9     | ((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and ((five or four)adj (line or signal or I/O))) and (clock )) and ( cs)               | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:13 |
| - | 43    | ((voltage or power or supply)near3(regulat\$4 or control\$4))and ((serial or "1394" or usb or rs232)near6 interface)same((five or four)adj (line or signal or I/O)))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:32 |
| - | 0     | ((voltage or power or supply)near3(regulat\$4 or control\$4))and ((serial or "1394" or usb or rs232)near6 interface)same((five or four)adj (line or signal or I/O))) and (vid or (voltage adj identifier))    | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:33 |
| - | 0     | ((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and (vid or (voltage adj identifier))) and ((five or four)adj (line or signal or I/O)) | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:33 |
| - | 38    | ((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and (vid or (voltage adj identifier))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:32 |
| - | 19251 | 713/\$.ccls.  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:32 |
| - | 114   | 713/\$.ccls. and ((five or four)adj (line or signal or I/O))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:33 |
| - | 6     | (713/\$.ccls. and (vid or (voltage adj identifier))) and ((five or four)adj (line or signal or I/O))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:33 |



|   |    |   |                                |                  |
|---|----|---|--------------------------------|------------------|
| - | 1  | 713/\$.ccls. and (((voltage or power or supply)near3(regulat\$4 or control\$4))same (((serial or "1394" or usb or rs232)near6 interface)same((five or four)adj (line or signal or I/O)))) | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:36 |
| - | 74 | 713/\$.ccls. and (vid or (voltage adj identifier))  | USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/06/02 16:38 |